



華凌光電股份有限公司  
WINSTAR Display Co.,Ltd.



**YOUR BEST DISPLAY SOLUTION PROVIDER**

12,500+ PRODUCTS 26 YEARS+ EXPERIENCE

Stock No.  
**6916**



Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )
128×160	WF18FTLAADNN0	1.77"	34×45.83	31.83×41.42	SPI,MCU	ST7735S	500
	WF18FTZAADNN0	1.77"	34×45.83	31.83×41.42	SPI,MCU	ST7735S	400
	WF18GTLAADNN0	1.77"	34×45.83	31.83×41.42	SPI	ST7735S	500
	WF18HSLAADNN0	1.77"	34×45.83	31.83×41.42	SPI	ST7735S	900
240×320	WF24HTLAJDNN0	2.4"	42.72×60.26	37.72×49.96	MCU	ILI9341	500
	WF24MTLAJDNN0	2.4"	42.72×60.26	37.72×49.96	SPI	ST7789V	500
	WF24MTLAJDNT0	2.4"	42.72×60.26	38.72×53.96	SPI	ST7789V	350
	WF28ETLAJDNN0	2.8"	50×69.2	44.2×58.6	MCU	ILI9341	500
	WF28ETLAJDNF0	2.8"	50×69.2	44.2×58.6	MCU	ILI9341	400
	WF28ETLAJDNT0	2.8"	50×69.2	44.8×63.1	MCU	ILI9341	350
	WF28KTLAJDNT0	2.8"	50×69.2	44.8×63.1	SPI	ST7789V	350
	WF32DTLAJDNN0	3.2"	55.04×77.6	49.6×65.8	8080,SPI,MCU	ILI9341	500
WF32DTLAJDNT0	3.2"	55.04×77.6	49.6×65.8	8080,SPI,MCU	ILI9341	350	
320×240	WF35LTIACDNN0	3.5"	76.9×63.9	73.1×55.5	RGB	HX8238	420
	WF35LTIACDNT0	3.5"	76.9×63.9	72.1×54.6	RGB	HX8238	300
	WF35LTIACDNG0	3.5"	76.84×63.84	71×53.51	RGB	HX8238	340
	WF35LTZACDNN0	3.5"	76.84×63.84	73.1×55.5	RGB	HX8238	300
	WF35RTIACDNNB	3.5"	76.84×63.84	73.1×55.5	SPI,MCU,RGB	SSD2119	400
	WF35YTIACDNN0	3.5"	76.84×63.84	73.1×55.5	RGB	HX8238-D	420
	WF35YTIACDNT0	3.5"	76.84×63.84	72.1×54.6	RGB	HX8238-D	300
480×272	WF43GTIAEDNN0	4.3"	105.5×67.2	97.1×55.9	RGB	ILI6480B	500
	WF43GTIAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ILI6480B	350
	WF43GTIAEDNGD	4.3"	105.5×67.2	96.24×54.66	RGB	ILI6480B	400
	WF43VTIAEDNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ST7282	500
	WF43VTIAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ST7282	350
	WF43VTIAEDNGA	4.3"	105.5×67.2	96.24×54.66	RGB	ST7282	400
	WF43VTZAEDNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ST7282	400
	WF43VTZAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ST7282	280
	WF43VTZAEDNGA	4.3"	105.5×67.2	96.24×54.66	RGB	ST7282	300
	WF43UTIAEDNN0	4.3"	105.4×67.1	98.48×57.19	RGB	ST7282	600
	WF43YTIADNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ILI6480B	500
	WF43UTIAEDNGB	4.3"	105.4×67.2	96.24×54.66	RGB	ST7282	480
WF43YTIADNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ILI6480B	350	
320×240	WF57VTIACDNN0	5.7"	160×109	118.28×88.64	RGB	HX8218+HX8615	500
	WF57VTIBCDAT0	5.7"	160×109	118.28×88.64	RGB	--	350
	WF57VTIACDNG0	5.7"	160×109	116.4×87.76	RGB	HX8218+HX8615	400
	WF57XTIACDNN0	5.7"	126×101.55	117.9×89.1	RGB	HX8218+HX8615	900
	WF57XTIACDNT0	5.7"	126×101.55	117.9×89.1	RGB	HX8218+HX8615	600
	WF57XTIACDNG0	5.7"	126×101.55	116.4×87.76	RGB	HX8218+HX8615	700
	WF57ZTZGCDNN0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	700
	WF57ZTIGCDNN0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	900
	WF57ZTIGCDNT0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	600
	WF57A3TIGCDNN0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	900
WF57A3TIGCDNT0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	600	
640×480	WF57FTLAFDNN0	5.7"	125×98.8	117.5×88.7	RGB	HX8250-A+HX8678	500
	WF57FTLAFDNT0	5.7"	127.14×100.9	117.5×88.7	RGB	HX8250-A+HX8678	350
800×480	WF70A2TIAGDNN0	7"	165×100	157×89.5	RGB	ST-5623	400
	WF70A2TIAGDNT0	7"	165×100	156.06×89.1	RGB	ST5623D+ST5091D	250

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
800×480	WF70B2SIAGDNGA	7"	165×100	156.68×88.52	RGB	HX8264-E+HX8664-B	700	PCAP
	WF70A6TIAGDNN0	7"	165.05×104.87	155.3×94.3	RGB	HX8262+HX8678	460	No
	WF70A6TIAGDNT0	7"	165.05×104.87	155.2×93.3	RGB	HX8262+HX8678	300	RTP
	WF70A6TIAGDNG0	7"	165.05×104.87	153.2×92.24	RGB	HX8262+HX8678	350	PCAP
	WF70A2TIAGDNGA	7"	165×100	155.22×87.19	RGB	ST5623D+ST5091D	350	PCAP
1024×600	WF70A7TIAHLNN0	7"	164.8×99.8	157.2×89.43	LVDS	EK79001HE+EK73215BCGA	600	No
	WF70A7TIAHLNB0	7"	202×135.5	155.22×86.92	LVDS	EK79001HE+EK73215BCGA	450	PCAP
800×480	WF80BTIAGDNNC	8"	192.8×116.9	180.1×103.4	RGB	EK9713+EK73002	420	No
	WF80BTIAGDNTC	8"	192.8×116.9	180.1×103.4	RGB	EK9713+EK73002	300	RTP
1024×768	WF104FTIAMLNN0	10.4"	236.0×176.9	-	LVDS	HX8282A01+HX8695-B01	350	No

## TFT Panel + Controller Board

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
480×272	WF43WTYBEBDAT0	4.3"	106.7×83.98	98.16×56.856	MCU	SSD1963	350	RTP
	WF43WTYFEDBN0	4.3"	105.5×67.2	98.16×56.856	MCU	SSD1963	500	No
1280×800	WF101KTYJPLNG0	10.1"	257.96×168.6	218×137	LVDS	EK79202B1	300	PCAP
	WF101LSYJPLNG0	10.1"	257.96×168.6	218×137	LVDS	EK79202B1	900	PCAP
1024×600	WF101JSYJHLNB0	10.1"	235×143	223.72×126.28	LVDS	EK79007AD3+EK73217BCGA	900	PCAP
320×240	WF35QTIBCBDBN0	3.5"	93.5×63.44	73.1×55.5	MCU	SSD1963	420	No
	WF35QTIBCBDBT0	3.5"	93.5×63.44	73.1×55.5	MCU	SSD1963	300	RTP
	WF35QTIBCBDBG0	3.5"	93.5×63.44	71×53.51	MCU	SSD1963	340	PCAP
480×272	WF43QTIBEDBND	4.3"	106.7×69.6	98.8×57.5	MCU	SSD1963	500	No
	WF43QTIBEDBDT0	4.3"	106.7×83.98	98.7×57.5	MCU	SSD1963	350	RTP
	WF43QTIBEDBGF	4.3"	106.7×83.98	96.24×54.66	MCU	SSD1963	400	PCAP
800×480	WF50FTYFGDBGGA	5"	120.7×75.8	109×65.6	MCU	SSD1963	400	PCAP
480×128	WF52CTLBSDBN0	5.2"	180×65	133×39	MCU	MR6566	500	No
320×240	WF57A2TIBCBDBN0	5.7"	141.12×101.55	117.9×89.1	MCU	SSD1963	900	No
	WF57A2TIBCBDBT0	5.7"	141.12×101.55	118.2×89.4	MCU	SSD1963	600	RTP
	WF57A2TIBCBDBG0	5.7"	141.12×101.55	116.4×87.76	MCU	SSD1963	700	PCAP
800×480	WF70A2TIFGDBN0	7"	165×100	157×89.5	MCU	SSD1963	460	No
	WF70A2TIFGDBT0	7"	165×100	156.6×89.1	MCU	SSD1963	250	RTP
	WF70A2TIFGDBGGA	7"	165×100	155.22×87.19	MCU	SSD1963	350	PCAP
	WF70C4TIBGDAN0	7"	181.2×105.4	155.3×94.3	MCU	SSD1963	500	No
1024×600	WF70A8SYJHLNGA	7"	169.9×103.4	155.22×87.19	LVDS	ST5021+ST5651	850	PCAP
800×480	WF80QTIFGDBNB	8"	192.8×116.9	180.1×103.4	MCU	SSD1963	420	No
	WF80QTIFGDBTB	8"	192.8×116.9	180.1×103.4	MCU	SSD1963	320	RTP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
800×480	WF102QTIFGDBN0	10.2"	235×145.8	225.3×135.7	MCU	SSD1963	350	No
	WF102QTIFGDBT0	10.2"	235×145.8	225.3×135.7	MCU	SSD1963	250	RTP
320×240	WF35PTIBCBDBN0	3.5"	93.5×63.44	73.1×55.5	MCU	SSD1963	420	No
	WF35PTIBCBDBT0	3.5"	93.5×63.44	73.1×55.5	MCU	RA8875	300	RTP
	WF35PTIBCBDBG0	3.5"	93.5×66.44	71×53.51	MCU	RA8875	340	PCAP
480×272	WF43PTIBEDBDTD	4.3"	106.7×83.98	98.7×57.5	MCU	RA8875	350	RTP
	WF43PTIBEDBGF	4.3"	106.7×83.98	96.24×54.66	MCU	RA8875	400	PCAP
800×480	WF80PTIFGDBNB	8.0"	192.8×116.9	180.1×103.4	MCU	RA8875	420	No
	WF80PTIFGDBTB	8.0"	192.8×116.9	180.1×103.4	MCU	RA8875	320	RTP
320×240	WF57VTCECLNN0	5.7"	160×109	118.28×88.64	LVDS	RA8875	500	No
	WF57WTLECDNN0	5.7"	143.5×104.1	118.6×88.9	RGB	SN75LVDS82DGGR	500	No
	WF57WTLECDNT0	5.7"	143.5×104.1	118.6×88.9	RGB	HX8218+HX8615	350	RTP

## TFT IPS

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
80×160	WF0096ATYAA3DNN0	0.96"	13.5×27.95	11.4×22.27	SPI	ST7735S	500	No
	WF0096ATYAA3DNF10	0.96"	18.7×31.9	10.8×21.696	SPI	ST7735S	400	PCAP
240×240	WF0128BTYAA4DNN0	1.28"	35.6×37.74	--	SPI	GC9A01	400	No
	WF0128BTYAA4DNF10	1.28"	50.2×50.2	32.8×32.8	SPI	GC9A01	320	PCAP
	WF0154ATAAA4DSN0	1.54"	31.52×33.72	29.72×29.60	SPI	ST7789T3	380	No
	WF0154ASAAA4DSN0	1.54"	31.52×33.72	29.72×29.60	SPI	ST7789T3	850	No
240×320	WF0200BSYAJDNN0	2.0"	38.8×52.3	31.4×41.6	SPI,MCU	ST7789VI	950	No
	WF0200BTYAJDNG10	2.0"	38.8×52.3	31.4×41.6	SPI,MCU	ST7789VI	400	PCAP,OCA
	WF0200BTYAJDNG0	2.0"	38.4×51.9	31.6×41.8	SPI,MCU	ST7789VI	450	PCAP
	WF24LTYAJDNN0	2.4"	42.72×60.26	38.72×51.16	SPI,MCU	ILI9341	500	No
	WF28JTYAJDNF0	2.8"	50.5×69.7	44.9×59.3	SPI,MCU	ILI9341	400	PCAP
	WF28JTYAJDNN0	2.8"	50.5×69.7	44.2×58.6	SPI,MCU	ILI9341	500	No
800×800	WF0340ATYAB7MNN0	3.4"	94.9×96.95	91.25×93.23	MIPI DSI	ILI9881C	300	No
	WF35XTWACDNN0	3.5"	76.84×63.84	73.1×55.5	RGB	ST7272A	500	No
320×240	WF35XSWACDNN0	3.5"	76.84×63.84	73.1×55.5	RGB	ST7272A	1000	No
	WF35UTYAIDNN0	3.5"	54.5×83	49.76×74.24	SPI,MCU,RGB	ILI9488	600	No
320×480	WF35UTYAIMNN0	3.5"	54.5×83	49.76×74.24	MIPI DSI	ILI9488	600	No
	WF35UTYAIMG0	3.5"	68.7×95.6	50.36×74.84	MIPI DSI	ILI9488	500	PCAP
	WF40CTYAQMNN0	3.97"	57.14×96.85	52.84×87.40	MIPI DSI	ST7701S	600	No
480×480	WF40ETWAA6MNN0	4.0"	78.8×82.95	73.06×71.38	MIPI DSI	ST7701S	500	No
	WF40ETWAA6DNN0	4.0"	78.8×82.95	73.06×71.38	RGB	ST7701S	500	No
	WF40ESWAA6MNN0	4.0"	78.8×82.95	73.06×71.38	MIPI DSI	ST7701S	1000	No
	WF40ESWAA6MNT0	4.0"	78.8×82.95	73.06×71.38	MIPI DSI	ST7701S	700	RTP
480×272	WF43WSWAEDNN0	4.3"	105.5×67.2	98.16×56.856	RGB	SC7283	1000	No
	WF43WTWAEDNN0	4.3"	105.5×67.2	98.16×56.856	RGB	SC7283	500	No
	WF43WTYBEDST0	4.3"	123.5×67.2	98.7×57.3	SPI,QSPI	BT816	350	RTP
	WF43WTYBEDSG0	4.3"	123.5×67.2	98.7×57.3	SPI,QSPI	BT815	400	PCAP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
800×480	WF43XTWAGDNN0	4.3"	105.5×67.2	97.34×56.86	RGB	HX8264+HX8664	600	No
	WF43XTWAGDNG0	4.3"	105.5×67.2	96.24×54.66	RGB	HX8264+HX8664	500	PCAP
	WF43XSWAGDNG0	4.3"	105.5×67.2	96.24×54.66	RGB	HX8264+HX8664	900	PCAP
	WF43XSWAGDNN0	4.3"	105.5×67.2	97.34×56.86	RGB	HX8264+HX8664	1100	No
	WF50FTYAGDNT0	5"	120.7×75.8	111.7×65.91	RGB	ST7262	350	RTP
	WF50FTWAGDNN0	5"	120.7×75.8	110.7×67.4	RGB	ST7262	500	No
	WF50FTWAGDNG0	5"	120.7×75.8	109×65.6	RGB	ST7262	400	PCAP
	WF50FTWAGLNN0	5"	120.7×75.8	110.7×67.4	LVDS	ST7262	500	No
	WF50FSWAGDNN0	5"	120.7×75.8	110.7×67.4	RGB	ST7262	1000	No
	WF50FSWAGDNGB	5"	147×104	109×65.6	RGB	ST7262	750	PCAP
	WF50FSYBGDSGA	5"	138.7×75.8	109×65.6	SPI,QSPI	BT815Q	750	PCAP
	WF50FSYBGDST0	5"	138.7×75.8	111.7×65.91	SPI,QSPI	BT816Q	650	RTP
720×1280	WF50DTYA3MNN0	5"	66.1×120.4	66.1×120.4	MIPI DSI	ILI9881C	300	No
	WF50DTYA3MNG10	5"	73.3×127.6	63.1×111.4	MIPI DSI	ILI9881C	250	PCAP,OCA
	WF50DSYA3MNN0	5"	68.4×122.7	64.1×112.3	MIPI DSI	ILI9881C	1100	No
800×480	WF70A9TWAGDNN0	7"	165.8×106.61	154.9×93.8	RGB	HX8249-A+HX8678-C	500	No
	WF70A9TWAGDNT0	7"	165.8×106.61	154.4×93.4	RGB	HX8249-A+HX8678-C	350	RTP
	WF70A9SWAGDNN0	7"	165.8×106.61	154.9×93.8	RGB	HX8249-A+HX8678-C	1000	No
	WF70A9SWAGDNT0	7"	165.8×106.61	154.4×93.4	RGB	HX8249-A+HX8678-C	700	RTP
	WF70A9SWAGDNB0	7"	165.8×106.61	153.4×92.4	RGB	HX8249-A+HX8678-C	800	PCAP
	WF70A9SWAGDNG0	7"	165.8×106.61	153.3×92.24	RGB	HX8249-A+HX8678-C	800	PCAP
	WF70A9SWAGLNN0	7"	165.8×106.61	154.9×93.8	LVDS	HX8249-A+HX8678-C	1000	No
1024×600	WF70A8SYAHLNN0	7"	169.9×103.4	157.2×89.43	LVDS	ST5021+ST5651	1100	No
	WF70A8SYAHLNT0	7"	169.9×103.4	156.6×89.1	LVDS	ST5021+ST5651	800	RTP
	WF70A8SYAHLNGB	7"	169.9×103.4	155.22×87.19	LVDS	ST5021+ST5651	850	PCAP
	WF70A8SYAHLNGC	7"	202×135.5	155.22×86.92	LVDS	ST5021+ST5651	850	PCAP
	WF70A8TYAHLNN0	7"	169.9×103.4	157.2×89.43	LVDS	ST5021+ST5651	600	No
	WF70A8TYAHLNT0	7"	169.9×103.4	156.6×89.1	LVDS	ST5021+ST5651	400	RTP
	WF70A8TYAHLNGB	7"	169.9×103.4	156.08×87.92	LVDS	ST5021+ST5651	450	PCAP
	WF70A8TYAHLNL0	7"	169.9×103.4	156.08×87.92	LVDS	ST5021+ST5651	450	PCAP, Hover Touch
800×480	WF70A8TYAHMNN0	7"	169.9×103.4	157.2×89.43	MIPI DSI	EK79007AD3+EK73217BCGA	600	No
	WF70B8SWAGDNT0	7"	165.8×106.61	154.4×93.4	RGB	HX8249-A+HX8678-C	700	RTP
	WF70B8SWAGDNB0	7"	165.8×106.61	153.4×92.4	RGB	HX8249-A+HX8678-C	800	PCAP
800×1280	WF80GSYAUMNN0	8"	115.74×184.93	109.24×174.6	MIPI DSI	ILI9881C	1125	No
	WF80GSYAUMNG0	8"	123.74×192.08	108.44×173.02	MIPI DSI	ILI9881C	900	PCAP
	WF80GSYAUMNT0	8"	115.74×184.93	108.84×173.42	MIPI DSI	ILI9881C	750	RTP
480×1920	WF88BTYA8MNN0	8.8"	231.3×64.3	--	MIPI DSI	OTA7290B	600	No
1024×600	WF101JTYAHMNB0	10.1"	235×143	223.72×126.28	MIPI DSI	EK79007AD3+EK73217BCGA	400	PCAP
	WF101JSYAHLNN0	10.1"	235×143	226×128.5	LVDS	EK79001HN+EK73215BCGA	1100	No
	WF101JSYAHLNB0	10.1"	235×143	226×128.5	LVDS	EK79001HN+EK73215BCGA	900	PCAP
	WF101JTYAHLNN0	10.1"	235×143	226×128.5	LVDS	EK79001HN+EK73215BCGA	500	No
	WF101JTYAHLNT0	10.1"	235×143	226×128.5	LVDS	EK79001HN+EK73215BCGA	350	RTP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
1280×800	WF101KTYAPLNN0	10.1"	229.34×148.98	222.2×139.2	LVDS	EK79202B1	350	No
	WF101KTYAPLNT0	10.1"	229.34×148.98	220.06×138.7	LVDS	EK79202B1	250	RTP
	WF101KTYAPLNG0	10.1"	257.96×168.6	218×137	LVDS	EK79202B1	300	PCAP
1920×1200	WF101NTYA4LNG0	10.1"	257.96×168.6	218×137	LVDS	FL5893DA	400	PCAP
	WF101NTYA4LNN0#000	10.1"	231.40×152.3	216.8×135.50	LVDS	FL5893DA	500	No
	WF101NTYA4LNN0	10.1"	231.40×152.3	216.8×135.50	LVDS	FL5893DA	500	No
1280×800	WF101LSYAPLNN0	10.1"	230.56×155.01	222.2×139.2	LVDS	EK79202B1	1100	No
	WF101LSYAPLNT0	10.1"	230.56×155.01	218×137	LVDS	EK79202B1	750	RTP
	WF101LSYAPLNG0	10.1"	257.96×168.6	218×137	LVDS	EK79202B1	900	PCAP
	WF121BTXAPLNN0	12.1"	278×184	264.12×166.2	LVDS	Fiti EK77526AHI205A	400	No
1024×768	WF121ETWAMLNN0	12.1"	260.5×204	249×187.5	LVDS	--	600	No
1920×720	WF123BSWAYLNN0	12.3"	308.1×130.0	--	LVDS	HX8298-C01-LT+ HX8695-E-LT	800	No
1024×768	WF150ATYAMLNN0	15"	326.5×253.5	307.4×231.3	LVDS	--	300	No
1920×1080	WF1560BTYAA5ENNO	15.6"	360×212.3	347.46×199.12	eDP	TC2055G	500	No
	WF1560BSYAA5ENNO	15.6"	360×212.3	347.46×199.12	eDP	TC2055G	1000	No
	WF1560ATWFA5LENO	15.6"	363.8×215.9	347.06×196.49	eDP	CH7513A-BFI	450	No

## TFT HDMI

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
480×128	WF39DTLFSHDHN0	3.9"	125×66.5	97.04×27.34	HDMI (CN)	TFP401	500	No
	WF39DTLFSHDHG0	3.9"	125×66.5	97.04×27.34	HDMI (CN)	TFP401	400	PCAP
480×272	WF43WSYFEDHNV	4.3"	105.5×84.2	98.16×56.85	HDMI (CN)	TFP401	1000	No
	WF43WSYFEDHTV	4.3"	105.5×84.2	98.7×57.3	HDMI (CN)	TFP401	700	RTP
	WF43WSYFEDHGV	4.3"	105.5×84.2	96.24×54.66	HDMI (CN)	TFP401	800	PCAP
800×480	WF50FTYFGDHTV	5"	120.7×75.8	111.7×65.91	HDMI (CN)	TFP401	350	RTP
	WF50FSYFGDHGV	5"	120.7×75.8	109×65.6	HDMI (CN)	TFP401	750	PCAP
480×128	WF52ASZFSHDHGV	5.2"	180×75.8	129.2×35.9	HDMI (CN)	TFP401	700	PCAP
800×480	WF70A2TIFGDHTV	7"	165×100	156.6×89.1	HDMI (CN)	TFP401	250	RTP
	WF70A2TIFGDHGV	7"	165×100	155.22×87.19	HDMI (CN)	TFP401	350	PCAP
1024×600	WF70A7TIFHLHTV	7"	165×99.8	156.6×89.1	HDMI (CN)	TFP401	400	RTP
	WF70A7TIFHLHGV	7"	164.8×99.8	155.22×87.19	HDMI (CN)	TFP401	450	PCAP
	WF70A8TYFHLHGV	7"	169.9×103.4	155.22×87.19	HDMI (CN)	TFP401	450	PCAP
	WF101JSYFHLHBV	10.1"	235×143	223.72×126.28	HDMI (CN)	TFP401	850	PCAP
1280×800	WF101LSYFPLHTV	10.1"	230.56×155.01	218×137	HDMI (CN)	TFP401	750	RTP
	WF101LSYFPLHGV	10.1"	257.96×168.6	218×137	HDMI (CN)	TFP401	900	PCAP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
240×320	WF32DSLAJDNN0	3.2"	55.04×77.6	49.6×65.8	8080,SPI,MCU	ILI9341	1000	No
	WF32DSLAJDNT0	3.2"	55.04×77.6	49.6×65.8	8080,SPI,MCU	ILI9341	700	RTP
320×240	WF35LSIACDNN0	3.5"	76.9×63.9	73.1×55.5	RGB	HX8238	1100	No
	WF35LSIACDNT0	3.5"	76.9×63.9	73.1×55.5	RGB	HX8238	770	RTP
	WF35LSIACDNG0	3.5"	76.84×63.84	71.0×53.51	RGB	HX8238	880	PCAP
480×480	WF40ESWAA6DNN0	4"	78.8×82.95	73.06×71.38	RGB	ST7701S	1000	No
	WF40ESWAA6DNG0	4"	78.8×82.95	72.46×70.78	RGB	ST7701S	800	PCAP
480×272	WF43GSIAEDNN0	4.3"	105.5×67.2	97.1×55.9	RGB	ILI6480B	1000	No
	WF43GSIAEDNGD	4.3"	105.5×67.2	96.24×54.66	RGB	ILI6480B	800	PCAP
	WF43VSIADNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ST7282	1000	No
	WF43VSIADNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ST7282	700	RTP
	WF43VSIADNGA	4.3"	105.5×67.2	97.0×56.0	RGB	ST7282	800	PCAP
	WF43VSAEDNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ST7282	800	No
	WF43VSAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ST7282	550	RTP
	WF43VSAEDNGA	4.3"	105.5×67.2	96.24×54.66	RGB	ST7282	600	PCAP
800×480	WF70A2SIAGDNN0	7"	165×100	157.0×90.1	RGB	ST-5623	900	No
	WF70A2SIAGDNT0	7"	165×100	156.6×89.1	RGB	ST-5623	600	RTP
	WF70A2SIAGDNGA	7"	165×100	155.22×87.19	RGB	ST-5623	700	PCAP
	WF70A2SIAGDNL0	7"	165×100	154.08×85.92	RGB	ST-5623	700	PCAP, Hover Touch
	WF70A2SZAGDNN0	7"	165×100	157×90.1	RGB	ST-5623	750	No
1024×600	WF70A7SIAHLNN0	7"	169.9×103.4	157.2×89.43	LVDS	EK79001HE+ EK73215BCGA	1100	No
	WF70A7SZAHLNN0	7"	169.9×103.4	157.2×89.43	LVDS	EK79001HE+ EK73215BCGA	900	No
	WF70A8SYAHMNN0	7"	169.9×103.4	157.2×89.43	MIPI DSI	EK79007AD3+ EK73217BCGA	1100	No
800×480	WF70C4SIAGDNG0	7"	165×104.6	153.2×92.24	RGB	EK9713B+ EK73202A	800	PCAP
1024×600	WF101JSYAHMNN0	10.1"	235×143	226.0×128.5	MIPI DSI	EK79007AD3+ EK73217BCGA	1100	No
	WF101JSYAHMNB0	10.1"	235×143	223.72×126.28	MIPI DSI	EK79007AD3+ EK73217BCGA	900	PCAP
1920×720	WF123BSWAYLNB0	12.3"	364×175	293.32×110.62	LVDS	HX8298-C01-LT+ HX8695-E-LT	650	PCAP
	WF123BSWAYLNBA	12.3"	364×175	293.32×110.62	LVDS	HX8298-C01-LT+ HX8695-E-LT	650	PCAP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
480×128	WF39BTLASDNN0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	500	No
	WF39BTLASDNGA	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	400	PCAP
	WF39BTLASDNT0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	350	RTP
	WF39BTZASDNN0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	400	No
	WF39BSQASDNN0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	1000	No
	WF39CTIASDNN0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	500	No
	WF39CTIASDNT0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	350	RTP
	WF39CTIASDNG0	3.9"	105.5×37	97.04×26.34	RGB	HX8278-A	400	PCAP
	WF39ETWASDNN0	3.9"	105.5×37	97.04×27.34	RGB	SC7283	500	No
	WF39ESWASDNG0	3.9"	105.5×37.0	96.04×26.34	RGB	SC7283	800	PCAP
	WF39ESWASDNN0	3.9"	105.5×37.0	97.04×27.34	RGB	SC7283	1000	No
	WF39ESWASDNT0	3.9"	105.5×37.0	97.04×27.34	RGB	SC7283	700	RTP
	WF39QTIBSDBN0	3.9"	122×44	97.04×27.34	MCU	SSD1963	500	No
	WF39QTIBSDBG0	3.9"	122×44	96.04×26.34	MCU	SSD1963	400	PCAP
800×320	WF46ATIATDNNA	4.6"	120.7×56.16	110.6×46	RGB	ILI6122+ILI5960	400	No
480×128	WF52ATLASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	500	No
	WF52ATLASDNT0	5.2"	140.4×49.87	130.0×36.6	RGB	ST7252	350	RTP
	WF52ATLASDNGA	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	400	PCAP
	WF52ATLASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	400	PCAP
	WF52ATZASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	400	No
	WF52ATZASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	350	PCAP
	WF52ASZASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	850	No
	WF52ASZASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	700	PCAP
	WF52ASLASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	1100	No
	WF52ASLASDNGA	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	880	PCAP
	WF52ASLASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	880	PCAP
	WF52BTIASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	500	No
	WF52BTIASDNT0	5.2"	140.4×49.87	130×36.6	RGB	ST7252	350	RTP
	WF52BTIASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	400	PCAP
	WF52QSZBSDBN0	5.2"	180×65	133×39	MCU	SSD1963	850	No
	WF52QTLBSDBN0	5.2"	180×65×8.8	133×39	MCU	SSD1963	500	No
	WF52QTLBSDBG0	5.2"	180×65	129.16×35.91	MCU	SSD1963	400	PCAP
	WF52QTZBSDBN0	5.2"	180×65	133×39	MCU	SSD1963	400	No
280×1424	WF70C9SYAB4MNC10	7"	43.3×201	34.06×171.33	MIPI DSI	OTA7290N-C	800	PCAP
	WF70C9TYAB4MNN0	7"	38.2×186.62	33.6×170.88	MIPI DSI	OTA7290N-C	500	No



## TFT Wide Temperature Series

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
800×480	WF70B6SWAGLNN0	7"	169.8×109.7	154.9×93.8	LVDS	HX8249-A+HX8678-C	1100	No
	WF102ATIAGDNN0	10.2"	235×145.8	225.3×135.7	RGB	EK7718+EK7330	350	No
	WF102ATIAGDNTA	10.2"	235×145.8	225.3×135.7	RGB	EK7718+EK7330	250	No
1024×768	WF0840ATWAMLNN0	8.4"	199.5×149	174.9×132.2	LVDS	ST5821AH+ST5084AA	500	No
	WF0840ATWAMLNB0	8.4"	199.5×149	172.21×129.53	LVDS	ST5821AH+ST5084AA	400	No
	WF0840ASWAMLNN0	8.4"	199.5×149	174.9×132.2	LVDS	ST5821AH+ST5084AA	1000	No
	WF0840ASWAMLNB0	8.4"	199.5×149	172.21×129.53	LVDS	ST5821AH+ST5084AA	800	No
	WF104GTWAMLNN0	10.4"	230×180.2	215.4×161.8	LVDS	--	500	No
	WF104GTWAMLNB0	10.4"	240.6×190.8	212.2×159.4	LVDS	--	400	No
	WF104GSWAMLNN0	10.4"	230×180.2	215.4×161.8	LVDS	--	1000	No
	WF104GSWAMLNB0	10.4"	240.6×190.8	212.2×159.4	LVDS	--	800	No

## TFT Monochrome Series

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
240×320	WF35NTVAJDNN0	3.5"	62.9×86.54	56.16×73.04	MCU	ST7511	500	No
320×240	WF57STIACDNN0	5.7"	160×109	118.28×88.64	MCU	ST7511	1000	No
	WF57STIACDNT0	5.7"	160×109	118.28×88.64	MCU	ST7511	700	RTP
	WF57STIACDNGB	5.7"	160×109	116.4×87.76	MCU	ST7511	800	PCAP
640×320	WF62ATXGRDNN0	6.2"	170.32×88.3	141.6×73.4	MCU	ST7511	600	No