

PRODUCT DATASHEET Lisa series

last update 20/9/2016



Product number CP11627_LISA-RS

Family Lisa Type Assembly XP-E LED Color White Diameter 10.8 mm Height 7.3 mm Style Round **PMMA** Optic Material Holder Material Fastening ["glue"]

Status Production ready

Product number CP10641_LISA-SS

Family Lisa Type Assembly LED XP-E Color White Diameter 10.8 mm Height 7.3 mm Style Round **PMMA** Optic Material Holder Material

Fastening ["glue"]
Status Production ready

FWHM 16 degrees
Efficiency 88 %
cd/lm 6.900
Gerber File Available

Efficiency 86 % cd/lm 3.800 Gerber File Available

22 degrees

FWHM

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.



PRODUCT DATASHEET Lisa series

last update 20/9/2016

GENERAL INFORMATION

- Product series especially designed & optimized for XP-E series of LEDs.
- Special care taken to make light distribution as uniform as possible.
- Lens material optical grade PMMA with high UV and temperature resistance. Allows use of high current and temperature conditions.

Please find more information about used material from below: http://ledil.fi/sites/default/files/Documents/Technical/Material/PMMA%208N%20UL94_Yellow%20Card.pdf http://ledil.fi/sites/default/files/Documents/Technical/Material/PMMA%208N%20PLEXIGLAS-Datasheet.pdf

